JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 455, NUMBERS 1–2, AUGUST 10, 1993

Contents

Invited Review

Metal complex catalysis in the synthesis of organic sulfur compounds
U.M. Dzhemilev and R.V. Kunakova (Ufa, Russian Federation) (Rec'd November 7, 1992) 1

Regular Papers

X-ray diffraction studies of polymeric lithiobenzotriazole · DMSO and lithiotetrazole · DMSO: from β-sheet to wash-board structures
C. Lambert, F. Hampel and P. Von Ragué Schleyer (Erlangen, Germany) (Rec'd January 18, 1993) 29

Preparation of some organo-bis(diisopropylamino)boranes and their application to the synthesis of oxazaborolidines
P.Y. Chavant and M. Vaultier (Rennes, France) (Rec'd December 21, 1992) 37

Protodeboronation of arylboronic acids and triarylboroxines in Bu_2O/THF
M.A. Beckett, R.J. Gilmore and K. Idrees (Bangor, UK) (Rec'd December 16, 1992) 47

Mono-, Bis-, Tris- und Tetrakis(indol-1-yl)silane
U. Klingebiel, W. Lüttke und M. Noltemeyer (Göttingen, Deutschland) (Eing. den 12. November 1992) 51

The crystal structure of the organosilicon *p*-toluenesulfonate $(Me_3Si)_3CSiPh(H)(OSO_2C_6H_4Me\text{-}p)$
S.S. Al-Juaid, A.A.K. Al-Nasr, C. Eaborn and P.B. Hitchcock (Brighton, UK) (Rec'd December 11, 1992) 57

Silicon–carbon unsaturated compounds. XLIV. Photochemical behavior of permethylated *p*-(disilanylene)phenylene oligomers
M. Ishikawa, K. Watanabe, H. Sakamoto and A. Kunai (Higashi-Hiroshima, Japan) (Rec'd November 20, 1992; in rev'd form January 14, 1993) 61

Preparation of diphenylsilylene polymers containing main-chain acetylene and (hetero)aromatic groups: $\chi^{(2)}$ non-linear optical and other properties
R.J.P. Corriu, W.E. Douglas, Z.-x. Yang (Montpellier, France), Y. Karakus, G.H. Cross and D. Bloor (Durham, UK) (Rec'd November 27, 1992) 69

Silicon–carbon unsaturated compounds. XLVI. Nickel-catalyzed reaction of 2-tolyl- and 2-phenyl-2-(phenylethynyl)hexamethyltrisilanes in the presence of 2,3-dimethylbutadiene and dicyclopentadiene
A. Kunai, Y. Yuzuriha, A. Naka and M. Ishikawa (Higashi-Hiroshima, Japan) (Rec'd December 3, 1992; in rev'd form January 14, 1993) 77

Synthese, Kristallstruktur und Reaktionen des Isopropylzinntriisopropoxids, $^iPrSn(O^iPr)_3$
H. Reuter und D. Schröder (Bonn, Deutschland) (Eingegangen den 30. November 1992) 83

Synthesis and structural determination of a neodymium(III) complex derived from 9-(cyclopentadienyl-1-methylethyl)-9,10-dihydroanthracene
Y. Chauvin, S. Heyworth, H. Olivier (Rueil-Malmaison, France), F. Robert (Paris, France) and L. Saussine (Rueil-Malmaison, France) (Rec'd October 26, 1992) 89

Synthesis and X-ray crystal structure of the cyclopentadienyl nitrito complex of ytterbium(III), $(C_5H_5)_2Yb(NO_2)\cdot THF$
Z. Wu, Z. Xu, X. You, H. Wang (Nanjing, China), X. Zhou, F. Sheng and J. Hu (Wuhu, China) (Rec'd October 23, 1992; in rev'd form January 22, 1993) 93

Bis(binaphthylcyclopentadienyl)-derived metallocene peroxide complexes: catalysts for the enantioselective epoxidation of unfunctionalized alkenes
S.L. Colletti and R.L. Halterman (Norman, OK, USA) (Rec'd December 8, 1992) 99

Crystal structures of $(\eta^6\text{-}C_7H_8)M(CO)_3$ (M = Cr, W). Comparisons among a homologous series of cycloheptatriene complexes and experimental evidence for a boat conformation of the coordinated ring
F.J. Hadley, T.M. Gilbert and R.D. Rogers (DeKalb, IL, USA) (Rec'd October 10, 1992; in rev'd form January 11, 1993) 107

The cleavage reaction of the Mo–Mo triple bond. The crystal structures of molybdenum complexes $[CpMo(CO)_2(C_5H_4NS)]$, $[CpMo(CO)_2(C_9H_6NS)]\cdot O{=}PPh_3$ and $[CpMo(CO)_2(S_2CNMe_2)]$
Y. Shi, G. Cheng, S. Lu, H. Guo (Dalian and Fuzhou, China), Q. Wu, X. Huang (Fuzhou, China) and N. Hu (Changchun, China) (Rec'd November 5, 1992; in rev'd form January 8, 1993) 115

Seven-coordinate molybdenum–tin and tungsten–tin complexes containing phosphites and tetramethylthiourea: X-ray structure of $[Mo(CO)_2\{P(OMe)_3\}_3(SnBuCl_2)Cl]$
D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda (Oviedo, Spain) (Rec'd January 4, 1993) 121

Isocyanide derivatives of tungstenocene
A.C. Filippou (Garching, Germany), A.R. Dias, A.M. Martins (Lisboa, Portugal) and C.C. Romão (Oeiras, Portugal) (Rec'd January 11, 1993) 129

Metallorganische Chemie des Technetiums. X. Synthese, Charakterisierung und Röntgenstrukturanalyse von μ-Distickstoff-bis[hydrotris(3,5-dimethylpyrazolyl)-borato-technetium-dicarbonyl], $[L^*Tc(CO)_2]_2(\mu\text{-}N_2)$
J.E. Joachim (Karlsruhe and Heidelberg, Deutschland), C. Apostolidis (Karlsruhe, Deutschland), B. Kanellakopulos (Karlsruhe and Heidelberg, Deutschland), R. Maier, D. Meyer, J. Rebizant (Karlsruhe, Deutschland) und M.L. Ziegler (Eing. den 11. Dezember 1992) 137

Reactivity studies on bimetallic μ-malonyl complexes: cleavage and alkylation chemistry of the malonyl ligand
J.M. O'Connor, R. Uhrhammer, R.K. Chadha, B. Tsuie (La Jolla, CA, USA) and A.L. Rheingold (Newark, DE, USA) (Rec'd July 23, 1992; in rev'd form January 18, 1993) .....

Reactions of some Group 15 ligands with $[(\eta^5\text{-indenyl})Fe(CO)_3]BF_4$
D.A. Brown, N.J. Fitzpatrick, W.K. Glass (Dublin, Ireland), H.A. Ahmed (Benghazi, Libya), D. Cunningham and P. McArdle (Galway, Ireland) (Rec'd December 17, 1992) 157
Synthesis and structure of acylcarbonylindenyl(phosphine)iron(II) complexes. Analysis of ligand effects in an indenyl system
L. Ambrosi, M. Bassetti, P. Buttiglieri, L. Mannina, D. Monti (Roma, Italy) and G. Bocelli (Parma, Italy) (Rec'd January 13, 1993) ... 167
A comparative study of the use of triethylammonium salts of the $[Fe_2(CO)_6(\mu\text{-CO})(\mu\text{-SR})]^-$ anion in the synthesis of iron–gold clusters. Crystal structures of $[Fe_2(CO)_6(\mu\text{-CO})(\mu\text{-S}^i\text{Pr})(\mu\text{-AuPPh}_3)]$ and $[Fe_2(CO)_5(PPh_3)(\mu\text{-SEt})_2]$
E. Delgado, E. Hernández (Madrid, Spain), O. Rossell, M. Seco (Barcelona, Spain), E.G. Puebla and C. Ruiz (Madrid, Spain) (Rec'd December 9, 1992) 177
Reactions of coordinated phosphines and arsines. Stereoselective reactions at the fluoroarsine-As stereocentre in the complex $[(R),(R,R)]\text{-}(\pm)\text{-}[(\eta^5\text{-}C_5H_5)\{1,2\text{-}C_6H_4(PMePh)_2\}Fe(AsFMePh)]PF_6 \cdot CH_2Cl_2$
G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild (Canberra, A.C.T., Australia) (Rec'd December 9, 1992) 185
Catalytic asymmetric hydrogenation of β-ketoesters using new BINAP complexes of ruthenium
J.B. Hoke, L.S. Hollis and E.W. Stern (Iselin, NJ, USA) (Rec'd August 5, 1992; in rev'd form December 22, 1992) 193
^{1}H-NMR spectroscopic studies of anion and solvent effects on mixed-valence iodobiruthenocenium(II, IV) salts
M. Watanabe, T. Iwamoto, H. Sano (Tokyo, Japan) and I. Motoyama (Yokohama, Japan) (Rec'd November 13, 1992; in rev'd form January 8, 1993) 197
Chelation of Group 6 metal tetracarbonyl fragments by dicobalt thioalkyne complexes
A. Gelling, M.J. Went (Canterbury, UK) and D.C. Povey (Guildford, UK) (Rec'd November 30, 1992) 203
Electrode processes of $(\eta^5$-cyclopentadienyl)(1,2-substituted 1,2-ethylenedithiolato)cobalt(III) complexes in an ambient temperature molten salt
S. Song, J. Tang (Raleigh, NC, USA), M. Kajitani, K. Shimizu (Tokyo, Japan) and R.A. Osteryoung (Raleigh, NC, USA) (Rec'd June 23, 1992; in rev'd form January 4, 1993) 211
Carbon monoxide as a building block in organic synthesis. IV. Direct preparation of amines from alkenes by aminomethylation catalysed by dinuclear rhodium complexes
T. Baig, J. Molinier and P. Kalck (Toulouse, France) (Rec'd December 17, 1992) 219
Chemical evidence of polynuclear intermediates in a ligand redistribution equilibrium between dinuclear rhodium complexes. X-ray structure of $[Rh_2(\mu\text{-bzta})_2(CO)_3(PPh_3)]$ (bzta = benzothiazole-2-thiolate)
M.A. Ciriano, J.J. Pérez-Torrente, F.J. Lahoz and L.A. Oro (Zaragoza, Spain) (Rec'd January 5, 1993) 225
Synthesis and characterization of cyclopentadienylnickel(II) thiolates. Crystal structure of $[(\eta^5\text{-}C_5H_5)Ni(SC_6H_5)(PPh_3)]$
J. Darkwa, F. Bothata (Gaborone, Botswana) and L.M. Koczon (Aberdeen, SD, USA) (Rec'd November 12, 1992) 235
Komplexkatalyse. XLI. Die Kristallstruktur des η^3,η^2-Octa-2(*E*),7-dien-1-yl-(triphenylphosphin)nickel(II)-tetrafluoroborats, ein Beitrag zur Klärung der Koordinationsverhältnisse in der allylnickelkomplexkatalysierten Butadienpolymerisation
J. Sieler, R. Kempe (Leipzig, Deutschland), S. Wache und R. Taube (Merseburg, Deutschland) (Eingegangen den 30. November 1992) 241
Efficient palladium catalysts for the carbonylation of alkynes
E. Drent, P. Arnoldy and P.H.M. Budzelaar (Amsterdam, Netherlands) (Rec'd December 7, 1992) 247
Utilization of $Me_3SiSnBu_3$ in organic synthesis. I. Generation of a stannyl anion from $Me_3SiSnBu_3$ and R_4NX
M. Mori, N. Kaneta, N. Isono (Sapporo, Japan) and M. Shibasaki (Tokyo, Japan) (Rec'd September 18, 1992; in rev'd form January 14, 1993) 255
A model for CO insertion in transition metal complexes
A.L. Tchougreeff, Yu.V. Gulevich, I.A. Misurkin and I.P. Beletskaya (Moscow, Russian Federation) (Rec'd December 9, 1992) 261
Synthesis of anionic pentafluorophenyl platinum–silver acetylide complexes. Molecular structures of $(NBu_4)[Pt(C_6F_5)_2(\mu\text{-}C{\equiv}CPh)_2Ag(PPh_3)]$ and $(NBu_4)_2[\{Pt(C_6F_5)_2(\mu\text{-}C{\equiv}CPh)_2Ag\}_2(\mu\text{-dppe})]$
J. Forniés (Zaragoza, Spain), E. Lalinde (Logroño, Spain), F. Martínez (Zaragoza, Spain), M.T. Moreno (Logroño, Spain) and A.J. Welch (Edinburgh, UK) (Rec'd October 5, 1992) 271
Electrospray mass spectrometry of inert and labile metal alkyl compounds: a study of methyl and dimethyl derivatives of gold(III), indium(III) and thallium(III)
A.J. Canty (Hobart, Tasmania, Australia), R. Colton and I.M. Thomas (Bundoora, Vic., Australia) (Rec'd December 21, 1992) 283

Preliminary Communications

Monomeric arsinoboranes. The question of arsenic–boron π-bonding
M.A. Mardones, A.H. Cowley, L. Contreras, R.A. Jones (Austin, TX, USA) and C.J. Carrano (San Marcos, TX, USA) C1
Studies of the zinc(II) catalysed addition of silyl enol ethers to cyclic enol ethers
J.R. Studley and M. Wills (Bath, UK) (Rec'd March 31, 1993) C3
Synthesis and reaction of $(\eta^5$-pentamethylcyclopentadienyl)bis(allyl)tantalum(III) complexes; crystal structure of $Ta(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}1\text{-phenylallyl})_2$
K. Mashima, Y. Yamanaka, Y. Gohro and A. Nakamura (Osaka, Japan) (Rec'd February 5, 1993; in rev'd form February 12, 1993) .. C6
The formation of the metal-stabilized carbocation from an ammonium ion
I.V. Barinov, V.A. Chertkov and O.A. Reutov (Moscow, Russian Federation) (Rec'd January 20, 1993) C9
Reversible electrophilic Rh–C bond cleavage in metallated dirhodium(II) compounds by carboxylic acids. Crystal structure of a new variety of rhodium(II) complex
P. Lahuerta, E. Peris, M.A. Ubeda (Burjasot-Valencia, Spain), S. García-Granda, F. Gómez-Beltrán and M.R. Díaz (Oviedo, Spain) (Rec'd February 5, 1993) C10

The reactions of Me_3SiCHN_2 with [PtX_2(*S*,*S*-skewphos)]: highly diastereoselective carbene insertions into Pt–Cl bonds, and Me_3SiCHN_2 as a CH_2N_2 equivalent
P. Bergamini, E. Costa, S. Sostero (Ferrara, Italy), C. Ganter, J. Hogg, A.G. Orpen and P.G. Pringle (Bristol, UK) (Rec'd March 24, 1993) C13

Book Review C17

Conference Calendar C18

Author Index C22

Subject Index C24